



HOW SVGS POWER WILSON SPORTING GOODS PRODUCT CONFIGURATOR

PRESENTED BY ANDREW OLSON

June 28th, 2018

ANDREW OLSON

- Front End Developer from the Chicago Suburbs
- Working with Drupal since 2008
- Been on the Wilson Sporting Goods project since 2015
- Fun Fact About Me:
 - Musician + played in a band at Lollapalooza





Andrew Olson
Lead Front End Developer

@ HS2 Solutions

HS2 SOLUTIONS






























AGENDA


- 1. Project Goals
- 2. Our Approach
- 3. Challenges
- 4. Q&A

OUR PRODUCT CONFIGURATOR HAD TO

- Be "Photo Realistic."
- Demonstrate multiple colors & styles.
- Allow Users to add custom text & upload logos.
- Manage
 - Different product types.
 - Multiple product views.
 - Future products & sports.



Jerseys	Total
62 Baseball + 52 Fastpitch Styles	114
3 Color Insert Styles per Jersey (on average)	3
33 Total Color Options	33
TOTAL JERSEY COMBINATIONS	3,731,904



Formula: ${}_{n}\mathrm{P}_{k}=rac{n!}{\left(n-k
ight)!}=n\left(n-1
ight)\left(n-2
ight)\cdots\left(n-k+1
ight)$

Source: mathwords.com

But Wait, There's More ...

- 3 styles of pants.
- 2 styles of batting gloves.
- Helmets (with and without masks).
- Protective gear straps.
- Plus, any product made in the future.



Would vector artwork suffice?





Using photography, vector art, and JavaScript, we can create a "Photo Real" product configurator.

Photography

DETERMINE BASE IMAGES
COORDINATE PHOTO SHOOT
PROVIDE ART DIRECTION

OUR APPROACH: PHOTOGRAPHY

Base Images

- 41 total base images
- Non-color (white) products
- Consistent sizes



OUR APPROACH: PHOTOGRAPHY

Snap36

- Provide 360 degree spin of products
- Consistent placement, sizing, and angles
- Post production of images





OUR APPROACH: PHOTOGRAPHY

Art Direction

- Lighting to reduce shadows.
- Iron garments to reduce wrinkles.
- Pin garment to create flat areas for logo placement.







Vector Art

FREE DRAWING ON TOP OF PHOTOGRAPHY

EXPORTING SVGS

MULTIPLY FILTER

SVG CAKE












SVG in Adobe Illustrator



SVG in Code Editor







```
11111_BB_112-1_jersey_front.svg •
   <?xml version="1.0" encoding="utf-8"?>
2 <!-- Generator: Adobe Illustrator 18.1.1, SVG Export Plug-In . SVG Version: 6.00 Build 0) -->
   <svg version="1.1" id="Layer 1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px"</pre>
        viewBox="0 0 3000 3000" enable-background="new 0 0 3000 3000" xml:space="preserve">
         <filter id="multiply-BB_full-button_jersey-front">
           <feImage xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="/sites/wilsonteamshop.com/files/media/BB_full-button_jersey_front.jpg"
           result="image" x="0" y="0" width="100%" height="100%"></feImage>
           <feBlend in2="SourceGraphic" in="image" mode="multiply"></feBlend>
         </filter>
       </defs>
       <q filter="url(#multiply-BB_full-button_jersey-front)">
           <g id="base" enable-background="new"</pre>
               <path fill="#000000" d="M2943.3,1063.3c0,0-9.6-8.3-15.4-13.8c-11.7-13.8-22.9-22.1-25-23.8c-0.4-0.4-7.1-10-16.3-21.3 ---</pre>
           </a>
           <q id="color 1" enable-background="new</pre>
                <path fill="#f37e80" d="M2943.3,1063.3c0,0-9.6-8.3-15.4-13.8c-11.7-13.8-22.9-22.1-25-23.8c-0.4-0.4-7.1-10-16.3-21.3 ---</pre>
           </a>
           <g id="color_2" enable-background="new</pre>
               <path fill="#fee581" d="M1345.8,425c-5.4-4.6-16.3-13.8-28.3-26.3c-35.4-36.7-85.4-103.8-78.3-185.4c0-2.1-1.3-4.6-0.4-9.6</pre>
           </a>
           <g id="color_3" enable-background="new</pre>
               <path fill="#99cf8b" d="M362.1.1271.7c-34.6-25.4-76.2-59.2-111.2-89.6c-55.8-48.8-120.8-114.2-147.1-151.7 ==</pre>
           </q>
       </q>
   </sva>
```

```
button_jers_y-d="base"
//www.w3.com/files/media/BB_full-button_jersey_front.jpg
      id="color_1"
     1063.3c0,0-9.6-8.3-15.4-13.8c-11.7-13.8-22.9-22.1-25-23.8c-0.4-0.4-7.1-10-16.3-21.3
M1345.8,42c-5d=6W13c-28-3-2I3c-25-7-85-30W-78.3-185.4c0-2.1-1.3-4.6-0.4-9.6
```

Without Multiply Filter

Multiply Filter





Images from photoshopessentials.com

Without Multiply Filter



Multiply Filter



```
<filter id="multiply-BB_full-button_jersey-front">
   <feImage xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="/sites/wilsonteamshop.com/files/media/BB_full-button_jersey_front.jpg"
result="image" x="0" y="0" width="100%" height="100%"></feImage>
   <feBlend in2="SourceGraphic" in="image" mode="multiply"></feBlend>
 </filter>
<g filter="url(#multiply-BB_full-button_jersey-front)">
```

SVG Cake

- Top Layer: Transparent PNG
- Middle Layer: SVG Artwork
- Bottom Layer: Non-colored Product Image





JavaScript

UPDATE PATH FILL COLORS
INSERT TEXT, NUMBERS, & LOGOS
MOVE BUTTONS

Customizer Lite Color 1 Color 2 Color 3

```
</div>
     ▼ <div class="container-jersey">
         <!--?xml version="1.0" encoding="utf-8"?-->
         <!-- Generator: Adobe Illustrator 18.1.1,
        SVG Export Plug-In . SVG Version: 6.00 Build
       ▼<svg version="1.1" id="Layer_1" xmlns="http:
       //www.w3.org/2000/svg" xmlns:xlink="http://
       www.w3.org/1999/xlink" x="0px" y="0px"
       viewBox="0 0 3000 3000" enable-background="new
       0 0 3000 3000" xml:space="preserve">
         ▶ <defs>...</defs>
         ▼<g filter="url(#multiply-BB_2-
         button_jersey-front)">
           ▶ <q id="base" enable-background="new
           ▶ <q id="color_1" enable-background="new
           ▶ <g id="color_2" enable-background="new
           ▶ <q id="color 3" enable-background="new
           ">...</g>
           </q>
         </svq>
       </div>
       ::after
     </div>
     <!-- #main -->
   </div>
   <!-- #main-container -->
  ▶ <div class="footer-container">...</div>
   <script src="//ajax.googleapis.com/ajax/libs/</pre>
   jquery/1.11.2/jquery.min.js"></script>
  ▶ <script type="text/javascript">...</script>
 </body>
</html>
```







```
| script type="text/javascript">
| jQuery(document).ready(function() {
| (function($) {
| s('.color-picker-1 .color-swatch').click(function() {
| var my_color_value;
| smy_color_value = $(this).attr("data-hex-color");
| s('.container-jersey #color_1 path').css("fill", $my_color_value);
| return false;
| });
| s('.color-picker-1').click....
| click....
```

Custom Text, Numbers, & Logos

- <g> Groups inserted on the fly.
- Rasterized artwork added to <g> Groups.
- Order in the SVG matters.





```
filter="url(#multiply-BB_full-button_jersey-front)">
 <q id="base" enable-background="new"</pre>
 <q id="color_1" enable-background="new</pre>
 <q id="color_2" enable-background="new</pre>
 <g id="color_3" enable-background="new</pre>
 <q class="front-text" style="display: none;" transform="translate(1512 1027) rotate(0) skewX(0)</pre>
     <image xlink:href="data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABBAAAAFeCAYAAAAABD+xLAAAgAET</pre>
     /eaExIwKYpgf9L6VaupKJAzA3ihamutYBHviki1tHgrW" width="1040" height="350" x="-520" v="-175"></
 <q class="front-number" transform="translate(1852 1502) rotate(0) skewX(0) skewY(0)">
    <image xlink:href="data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAfQAAAGpCAYAAAB7xsSjAAAgAEl</pre>
     d//VvUDIdIyqIvWAVy2TbTpuhfKJCQqjsGMj0XiK0FnMj" width="500" height="425" x="-250" y="-212.5">
 <q class="front-logo" transform="translate(1510 1030) rotate(0) skewX(0) skewY(0)">
     <image width="1040" height="360" x="-520" y="-180" data-nid="28881" xlink:href="data:image/p</pre>
     GgoAAAANSUhEUgAABBAAAAFoCAYAAADuLAj7AAAgAElEQVR4Xux9h5/juLFmAaRC5xwmx53dmQ1er/189/ff3bt7vX62
     IgttTgnu6JhnawoChKLRVBAvXVV18pCo9ggW"></image>
 <q class="back-logo"></q>
 <q class="side-left-logo"></q>
 <q class="side-right-logo"></q>
 <q class="shoulder-logo" transform="translate(960 510) rotate(-5) skewX(0) skewY(0)">
     <image width="220" height="220" x="-110" y="-110" data-nid="28886" xlink:href="data:image/pn</pre>
    goAAAANSUhEUgAAANwAAADcCAYAAAAbWs+BAAAgAE LEQVR4Xu1dBZRV1dff+94X00F3d4ggKCEGBibiXxFbUcEGA+NTN
     JlY6hpue9d/
     a3fnf0Gx7Dx0sJ7lnrrYl374l9zj5nnx2/zWQXmwI2BeJGAY5bS3ZDNgVsCpDNcPYisCkQRwrYDBdHYttN2RSwGc5eAz
 <q class="brand-logo" transform="translate(2780 950) rotate(-40) skewX(0) skewY(0)">
     <image width="100" height="100" x="-50" y="-50" data-nid="" xlink:href="data:image/png;base6</pre>
    SUhEÜgAAAGQAAABkCAYAAABw4pVUAAAGk0lEQVR4Xu2dv2/lRBDHZ3acgorQIxH4B7j7ByCpryBQI3FwBSWhoDtETkJC
    D7ByBIIERF8heQUCaeXTSO/fTyYsdr77x47zJPilLEsefNZ7+zs7M/
     jGCfrDyAWVljxoAByawRGBADkpkHMjPHFGJAMvNAZuaYQqxIZOaYQA5KZBzIzxxSSGZD/AeJz59aPR3aKAAAAAElFTkS
 </0>
```










Buttons

- Move depending on logo placement.
- Needed more visibility on darker colors.
- Use jQuery to toggle PNGs.





```
<?xml version="1.0" encoding="utf-8"?>
 <svg version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3</pre>
             viewBox="0 0 3000 3000" enable-background="new 0 0 3000 3000" xml:space="preserve">
                <filter id="multiply-BB_full-button_jersey-front">
                      <fe[Image] xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="/sites/all/modules/cu</pre>
                      /BB_full-button_jersey_front.jpg" result="image" x="0" y="0" width="100%" height="100"
                      <feImage xmlns:xlink="http://www.w3.org/1999/xlink" xlink:href="/sites/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/all/modules/company.gov/al
                     /BB_full-button_jersey_front_buttons_mv.jpg" result="image-mv" x="0" y="0" width="100
                      <feBlend in2="SourceGraphic" in="image" mode="multiply"></feBlend>
                </filter>
           </defs>
           <g filter="url(#multiply-BB_full-button_jersey-front)">
                      <q id="base" enable-background="new"</pre>
                      <q id="color 1" enable-background="new</pre>
                                                                                                                                         ">==
                      <q id="color 2" enable-background="new</pre>
                                                                                                                                         ">"
                      <g id="color_3" enable-background="new</pre>
                                                                                                                                         "><u>---</u>
           < id="buttons">
                      <image class="org-buttons" width="100%" height="100%" x="0" y="0" xmlns:xlink="http://image</pre>
                     sites/all/modules/custom/wilson_customizer/<u>limage</u>/jerseys/BB_full-button_jersey_front
<<u>limage</u> class="alt-buttons" style="display:none;" width="100%" height="100%" x="0" y="
                      www.w3.org/1999/xlink" xlink:href="/sites/all/modules/custom/wilson_customizer/image
                      BB full-button jersey front buttons mv.png"></image>
```





OUR APPROACH

Our Process

- Photoshoot
- 2. Vector Art Production
- 3. Visual QA / Feedback Loop
- 4. Technical QA / Feedback Loop
- 5. Implementation into Product Configurator
- 6. In-Browser QA / Feedback Loop



Challenges

BASE IMAGES

FEEDBACK + QA

PERFORMANCE

EXCEPTIONS TO THE RULE

Finalizing Base Images




Revisions to Vector Artwork



Performance

JERSEYS










W \$ 0 🔾









FULL BUTTON TWO BUTTON PULLOVER

Fonts



NAME ARRANGEMENT

Tiepolo





Vegas







Batting Glove Shatter Pattern



Glossy Helmet






WRAPPING UP

ADDITIONAL LINKS

- Wilson Team Shop
 - wilsonteamshop.com
- Configurator Database
 - <u>configurator-database.com</u>
- Smashing Magazine
 - Designing A Perfect Responsive Configurator





QUESTIONS?

ANDREW OLSON Lead Front End Developer

HS2 Solutions, Inc.

andrew.olson@hs2solutions.com d.o: andrewozone