Understanding Drupal 🖙



http://bit.ly/understanding-drupal http://bit.ly/understanding-drupal-feedback





Session recording https://www.youtube.com/watch?v=02fvLzPSIjc



Mauricio Dinarte



@dinarcon

mauricio@agaric.com drupal.org/u/dinarcon



Drupal Nicaragua







www.ge.com/digitalvolcano





USA | Nicaragua | México | Germany | England



Outline



- Why Drupal?
- What is Drupal?
- Basic concepts
- Nodes
- Content typesFields

- Blocks
- Theme regions
- Views
- Users and permissions
- Menus
- Taxonomy

/about

Telephone Mail	Logo
nage	
Updates and Upcoming Events	Banner #1
	Banner #2
News Section	Site Navigation
Sociat Media Links	Contact Information

 Logo
 Telephone Mail

 Slider header image
 Image: Second Second

/services

Slider header in

Blog

Logo

Banner #1

Banner #2

Site Navigatio

Contact Informatic



/articles





/team





/contact












Why Drupal?



www.whitehouse.gov




www.weather.com





www.grammy.com





www.naranjatradicionaldegandia.com



INICIO ~ COMPRAR ~

CONÓCENOS VARIEDADES NARANJEA

ATENCIÓN AL CLIENTE

■ CESTA DE LA COMPRA(1)

NUESTRA TIENDA ONLINE










www.teslamotors.com





Some features of these websites 🖙







What is Drupal?

Drupal as a CMS



Drupal is a content management system. It allows multiple people to participate in the creation of content. Also, it is possible to establish publication workflows, content revisioning, and granular access control over each piece of information.

Drupal as a Framework



Drupal is a development framework. Through custom code it is possible to extend Drupal beyond its pre-built functionality. For example, to create an ecommerce website or the backend of an application.

Drupal as a Community





200+ countries
150+ languages
30,000+ code
contributors
97,000+ active users





Basic Concepts

Core



- It contains modules and themes.
- Serves as a framework to build on top of.












Add functionality

Control appearance






Contrib Repository



Community contributed **modules**, **themes**, and **distributions**. These extend Drupal beyond its pre-built functionality.








Content

What is a Node?



A piece of information that can tell a story by itself. It serves as a container of information used to describe something.





agaric.com/blogs/altering-views-results



agaric We build online.

agaric

Altering views' results

Submitted by Mauricio Dinarte on Tue, 06/02/2015 - 09:46

The Views module provides a flexible method for Drupal site builders to present data. On a recent project we needed to filter a view's result set in a way we could not achieve by means of the module's UI. How do you programmatically alter a view's result set before rendering? Let's see how to do it using the hooks provided by the module.
















Content Types



Abstraction that allows you to group nodes which share similar characteristics or describe the same idea. They serve as a template to collect information. Once collected, they ease the management of that information.

Every Node is of One Specific Content Type













They are **awesome**!



🔀 Status 🖾 Photo / Video 💽 Life Event	
What's on your mind?	
0 1 + 0 0	Public ▼ Post
Compose new Tweet	×
What's happening?	
[O] ♀ GIF ●	140 🔀 Tweet





🔀 Status 🛅 Photo / Video 💽 Life Event		
What's on your mind?		
0 1 + 9 9 O	🚱 Public 🔻	Post
Compose new Tweet		×
What's happening?		
	140	Tweet

Inconsistent Data Is Not Easily Searchable November 19, 2015

Nov. 19, 2015

11/19/2015

11/19/15

11-19-15





Invalid Data Makes Drupal Cry

- Age: -10 years old
- Birthdate: February 31, 2000
- Price: \$1.5 euros
- Email: notareal.email
- Phone: Hi, I am beautiful! :)

I want to cry

Free text

Inconsistent data

Invalid date





Drupal Can Enforce Validation Criteria

Required field	C Required field			
▼ DEFAULT VALUE	► DEFAULT IMAG	GE		
	Allowed file exten	isions *		
Price	png, gif, jpg, jpeg	9		
	File directory			
Minimum	Maximum image i	resolution		
0		×		pixels
Maximum	Minimum image r	esolution		
	480	×	640	pixels
Prefix	Maximum upload	size		
S	5 MB			
~	Enable Alt field			
Suffix	Alt field required	d		
USD	□ Enable <i>Title</i> field	ł		



Drupal Can Enforce Validation Criteria



ness

Required field	C Required field			H
▼ DEFAULT VALUE	► DEFAULT IMA	GE		
	Allowed file exte	ensions *		
Price	png, gif, jpg, jp	2g		
	File directory			
Minimum	Maximum image	resolution		
0		×	pixels	
Maximum	Minimum image	resolution		
	480	× 640	pixels	
Prefix	Maximum uploa	d size		
\$	5 MB			
Cuffin	C Enable Alt field	U		
Suffix	Alt field requir	ed		
USD	Enable <i>Title</i> fie	ld		

Recipe to Make Drupal Happy


1) One field per piece of data to store. 2) Select the right type of field. Example: integer, decimal, image, phone, email, url, etc.



l♥you!


Collecting Data





Presenting Data






Aggregating Data





Can Be Shown or Hidden Individually 🖙

Fields allow you to cherry-pick what information to show and what information to hide.



Example of Field Types



Agaric



Established in 2006

Agaric is a Drupal shop based in Boston, MA, USA with offices in Germany and Nicaragua. We are active members of the Drupal community. Our contributions include maintenance of many modules and organization of free training.

http://agaric.com/


ask@agaric.com +1 508 283 3557 Services: Custom development | Migrations | Training | Maintenance

Thu, 11/19/2015 - 08:00

Fields



They are used to structure the information that is being stored. They save discrete data which can be used for **displaying**, filtering, and sorting information. It is possible to enter and display a field's data in various ways.









Block

What is a Block?



A container of extra information to display along the main content of your website. They are placed in a **theme region**.

Theme Region



Secondary menu				
Header				
Primary menu				
		Highlighted		
		Featured top		
		Breadcrumb		
Sidebar first		Content	S	iidebar second
Featured bottom first	Featu	red bottom second	Featured botto	om third
Footer first	Footer second	Footer third	F	Footer fourth
		Footer fifth		

Blocks Can Display Static or Dynamic Content



Static content

• Display the same data (almost) all the time. E.g.: copyright text or the banner of a sponsor.

Dynamic content

• Change its content regularly. E.g.: latest blog posts or newest products in the store.

Blocks Can Enforce Visibility Rules



Show or hide the block depending on certain conditions.

Language Not restricted	Content types
Content types	Basic page
Not restricted	
Pages	
Not restricted	
Roles	
Not restricted	

Blocks Can Be Aware of the Environment



Use data from the environment in which the block is displayed to **change the information to be presented**.

Examples:

• More posts from the same author.

• More vehicles on sale in the same city.

Blocks Can Have Fields



Similarly to content types, it is possible to define block types and add fields to them.

Example:

• A "special offer" block type with fields for title, description, image, and expiration date.





Views

What is a View?



A view is a **listing of information**. It can be a list of nodes, users, comments, taxonomy terms, files, etc.

Views scans your website using any criteria you specify and presents the results in format of your choice. For example, a HTML table, a RSS feed, a PDF document, a CSV document, an interactive map, an image slideshow, or a JSON representation to be used as a REST endpoint.

Random car

Search

M000505 - 2008 Toyota Yaris

Cars



9

Year	Make		Model		Sort by	Order
- Any - 🔻	- Any -	۲	- Any -	٠	Year	Desc
Apply						



1	Apply				
	ID	Image	Color	Transmission	Fuel
Read more	M000123 - 2014 Toyota Corolla		White	Automatic	Gasoline
	M909522 - 2013 Tesla Model S		Red	Automatic	Electric
	M3075681 - 2013 Mercedes S500		Black	Manual	Gasoline
	M1463982 - 2011 BMW 535i		Black	Automatic	Gasoline
	M000505 - 2008 Toyota Yaris		Silver	Manual	Gasoline

WHY SO MUCH







imgflip.com

Drupal Loves Nests





Markup



▼ <div id="page">

```
header id="header" class="header" role="banner" aria-label="Site header">...</header>
```

```
<div class="highlighted">...</div>
```

```
▼ <div id="main-wrapper" class="layout-main-wrapper layout-container clearfix">
```

```
▼ <div id="main" class="layout-main clearfix">
```

```
<div class="region region-breadcrumb">...</div>
```

```
▼ <main id="content" class="column main-content" role="main">
```

```
▼ <section class="section">
```

```
<a id="main-content" tabindex="-1"></a>
```

```
▼ <div class="region region-content">
```

```
> <div id="block-bartik-page-title" class="contextual-region block block-core block-page-title-block">...</div>
```

```
<div id="block-bartik-local-tasks" class="contextual-region">...</div>
```

```
▼ <div id="block-bartik-content" class="block block-system block-system-main-block">
```

```
▼ <div class="content">
```

```
▼ <article data-history-node-id="1" data-quickedit-entity-id="node/1" role="article" class="contextual-region
node node--type-article node--promoted node--view-mode-full clearfix" about="/node/1" typeof="schema:Article"
data-quickedit-entity-instance-id="0">
```

<header>...</header>

```
▼ <div class="node__content clearfix">
```

```
v <div property="schema:text" data-quickedit-field-id="node/1/body/en/full" class="clearfix text-formatted
field field--name-body field--type-text-with-summary field--label-hidden field__item quickedit-field">
```

```
Nests FTW!
```

```
::after
```

```
</div>
```

Render Arrays





• path	search all 🛟 submit
Found 5 el	lements
(Arra	ay, 29 elements)
pag	ige (Array, 22 elements)
	#show_messages (Boolean) TRUE
	#theme (String, 4 characters) page
	#theme_wrappers (Array, 1 element)
	#type (String, 4 characters) page
	content (Array, 4 elements)
	sidebar_first (Array, 5 elements)
	system_navigation (Array, 6 elements)
	5 (Array, 7 elements)
	#theme (String, 21 characters) menu_linknavigation
	#attributes (Array, 1 element)
	#title (String, 11 characters) Add content
	#href (String, 8 characters) node/add
	#localized_options (Array, 0 elements)
	#below (Array, 0 elements)
	#original_link (Array, 45 elements)
	menu_name (String, 10 characters) navigation

Concepts











3 Ba	ck to si	ite 🚍 Manag	e ★ Shortcuts	1 admin				
Co	ntent	f <u>Structure</u>	🔍 Appearance	Extend	🔧 Configuration	People	Reports	🕜 Help
St	ruct	ure ಭ			1			
Hor	me » Ad	Iministration						
0		layout ure what block con	itent appears in your si	te's sidebars an	d other regions.			
0		nent types e form and display	s settings of comment	s.				
0		ct forms and manage conta	ict forms.					
0		nt types content types and	manage their default s	settings.				
0		ay modes ure what displays a	are available for your c	ontent and form	s.			
0	Menu: Manage	s e menus and menu	ı links.					
0	Taxon		zation, and classificati	on of your conte	ent.			

Views

Manage customized lists of content.







What is a User?



A visitor to the website. Depending on who is visiting the website it is possible to change the information they see.

Drupal can handle multiple users which makes account credential sharing among multiple people unnecessary. This is useful to keep track of changes to the website. Agaricio Dinarte | Agaric



agaric.com/people/mauricio-dinarte

Mauricio Dinarte



Mauricio Dinarte is a passionate Drupal developer, consultant, and trainer with over 7 years of web development experience. After completing his BS in Computer Science, graduating with the highest GPA among 181 students, he completed a Masters in Business Administration.

Mauricio started his Drupal journey in 2011 and fell in love with Drupal right away. Through the years, he has worked on projects of large scale playing different roles such as site builder, themer, module developer, and project manager. He has great experience leveraging various core and contrib APIs, using and customizing Drupal distributions like Open Outreach and OpenChurch, as well as creating custom installation profiles and distributions. He brews top shelf modules into

elegant solutions. Views, Context, Display Suite, Panels, Feeds, OpenLayers, Features, and other modules are some of the ingredients. Drush is his ally to speed up development and manage workflows among different environments.







Is a collection of **permissions**. They are used to assign privileges to a group of users. For example: a C-level executive, a sales representative, etc.

Drupal ships with three default roles, but more can be added:


- Anonymous user
- Authenticated user
- Administrator.

A Permission...



Checks if a user can perform a specific action. For example:

- Create content of type Article.
- Revert revisions for the content type Article.
- Post comments.
- Use the site-wide contact form.



Note that users can have **multiple** roles! Every permission in each role is granted.





Menu

What is a Menu?



Menus are a **collection of links** used to navigate the website. Drupal ships with default menus like the "Main Navigation" and others can be added by as needed.

Menus can be **hierarchical**. That is, a menu can be various level deep where a menu link can have other menu links under it.

	a g a		aric v Services Blogs		line.	F
谷 Home	🍽 About Us	🏸 Content Types 👻	Mega menu demo 👻	Drupal themes 👻	Contact Us	Login 👻
E I	EMO CONTENT				What our products benefits 12/28/2012 - 15:53	
S	lain - Right uperfish menu F NavBar			::	Easy to customize 11/30/2011 - 14:5	





Taxonomy

What is Taxonomy?



It is a system used for **categorization** which allows you to **connect**, **relate**, and **classify** your website's content.


In Drupal, taxonomy **vocabularies** are containers for a set of taxonomy **terms**. Vocabularies can be **hierarchical**. That is, a vocabulary can be various level deep where a term can have other terms under it.

Vocabulary: Fruits





Note that taxonomy terms can have **fields**! In this example, an image field.



Real Life Example: Pets Cat-egorization






Subkingdom Bilateria Infrakingdom Deuterostomia Phylum Chordata Subphylum Vertebrata Infraphylum Gnathostomata Superclass Tetrapoda **Class** Mammalia Subclass Theria Infraclass Eutheria **Order** Carnivora Suborder Feliformia Family Felidae Subfamily Felinae **Genus** Felis **Species** Felis catus

Other Example Uses



- List every piece of content tagged with a specific term.
- Show additional content with the same tags. Similar By Terms module.
- Create editorial access controls based on hierarchies. Workbench Access module.
- Associate geographic location to terms to be rendered on a map. Location Taxonomize module.







FAQ





Every time you hack core, God kills a kitten. Please, think of the kittens!



Jeff Geerling @geerlingguy

Is it a Good Idea to Change the **APP** Downloaded Code for a Quick Fix?



When performing updates, the new code can override your changes. Also, you might alter the framework's functionality and prevent other code from working. Instead, use the framework API to alter its behaviour as needed.

To Modify Drupal no Hacking



Check out Joe Shindelar (@eojthebrave)'s session "Altering, Extending, and Enhancing Drupal 8" at

www.youtube.com/watch?v=tMM-I70ksQA

To Learn the Basics of Drupal's Markup

Check out my "Twig recipes: Making Drupal 8 render the markup you want"

www.youtube.com/watch?v=bqfxaFLQ8D4

Tomorrow at 4:30 PM room 32–144

Get Involved with the Community!



- Create a user account
 https://www.drupal.org/user/register
- Be part of the conversation

https://www.drupal.org/irc #drupal @ freenode.net #general @ drupal.slack.com

 Get involved with your local community https://groups.drupal.org/





Thank You!



Let's continue the conversation on twitter

#UnderstandingDrupal





Please Provide Feedback



http://bit.ly/understanding-drupal http://bit.ly/understanding-drupal-feedback @dinarcon|mauricio@agaric.com

